







































排水金具・マンホール他 【新定価 2015年4月～】




D-K 目皿 (非防水層用)	32	3,200	JCW204		T3A-K (SU) (非防水層用)	40	13,200	JISA4002								
	40	3,500	標準図符号			50	19,400									
	50	3,900	D			65	29,100									
	65	5,200	内ねじ			80	39,200									
	80	6,400	ロック式ストレーナ			100	60,400									
	100	7,100														
CK-SUS	40	8,600	JCW-204		T3B-K (SU) (防水層用)	40	19,000	JISA4002								
	50	12,100	内ネジ			50	26,600									
	65	18,000	ステンレス製			65	37,300									
	80	26,000	ロック式ストレーナ			80	49,000									
DK-SUS	100	38,700			100	71,700										
	32	3,400	JCW-204		T5AF (非防水層用)	40	11,200	調節管ビス式								
	40	3,600	標準図符号D			50	12,100									
	50	4,100	内ネジ			65	21,300									
	65	5,500	ステンレス製			80	28,000									
	80	6,700	ロック式ストレーナ			100	45,800									
100	7,400															
DV-SUS	125	14,000			T5BF (防水層用)	40	12,100	調節管ビス式								
	150	20,700				50	13,400									
	40	3,300	VP・VU兼用			T5AF-EW (非防水層用)	50			16,400	調節管ビス式					
	50	3,800	ステンレス製				T5BF-EW (防水層用)			50			17,400	調節管ビス式		
	65	5,000														
	80	6,000														
100	7,500															
125	15,900															
150	24,800															
WPJ-W	65	23,100	公団型		T7A-EW (非防水層用)	50	26,600	横型								
	80	26,000	J-501			T7B-EW (防水層用)	50			29,000	横型					
	100	31,100														
	125	46,700														
	150	61,300														
WPJ-W-BC	65	29,500	公団型		JT-2E3 防水パン用	50	23,300	公団型 D-107-O								
	80	33,700	J-501			JT-4 防水パン用	50			28,000	公団型 D-104					
	100	41,200	バンドキャップ付													
	125	71,200														
	150	89,300														
WPJ-W-BCA	65	34,200	公団型		JT-3 防水パン用	50	22,900	公団型 呼び50 D-103								
	80	39,300	J-501													
	100	50,600	アルミバンド													
	125	85,800	キャップ付													
	150	103,900														
WPJ-WL	65	32,200	積雪地用		T14AA-K(SU) 目皿付 金属製流し用	40	15,800	JCW-202 T14AA								
	80	38,200				50	22,900									
	100	46,400														
	125	66,800														
WPJ-WL-BC	65	38,600	積雪地用		T14AB-K(SU) 共栓付 金属製流し用	40	18,200	JCW-202 T14AB								
	80	45,900				50	24,700									
	100	56,500														
	125	91,300														
WPJ-WL-BCA	65	43,300	積雪地用		T14BA-K(SU) 目皿付 コンクリート製流し用	40	20,200	JCW-202 T14BA								
	80	51,500				50	27,800									
	100	65,900														
	125	105,900														
WPJ-W用 アンカー皿ビス		1,500	M10		T14BB-K(SU) 共栓付 コンクリート製流し用	40	21,300	JCW-202 T14BB								
						50	31,500									
					T14AV 目皿付 JIS金属流し用	40	10,500	公団型 耐熱樹脂製								




SNA - K 非防水層用	40	10,200	JCW - 204 標準図符号 SNA ・印W共栓 内ねじ	
	50	13,700		
	65	22,500		
	80	29,900		
	100	40,900		
SNAR 非防水層用	40	8,700	ゴム共栓付 ・印W共栓	
	50	11,900		
	65	18,200		
	80	24,200		
	100	33,900		



CODD 非防水層用 排水金具	50	17,300	
	65	18,600	
	80	19,400	
	100	20,400	
	125	43,900	
CODD - C 非防水層用 排水金具	40	24,600	
	50	37,800	
	65	46,500	
	80	53,600	
	100	94,400	

COA - K (非防水層用) 床上掃除口	40	4,600	JCW - 203 標準図符号 COA	
	50	4,700		
	65	5,900		
	80	6,900		
	100	9,000		
	125	17,800		
COA - F (非防水層用) 床上掃除口	40	6,200	SGP 差し込用 パッキン入	
	50	6,900		
	65	9,400		
	80	11,400		
	100	17,300		
COV - F (非防水層用) 床上掃除口	40	6,200	VP 差し込用 パッキン入	
	50	6,900		
	65	9,400		
	80	11,400		
COA - F - 2 (非防水層用) 床上掃除口	40	7,000	SGP 差し込用 化粧型 パッキン入	
	50	7,400		
	65	10,400		
	80	12,600		
	100	19,000		
COV - F - 2 (非防水層用) 床上掃除口	40	7,000	VP 差し込用 化粧型 パッキン入	
	50	7,400		
	65	10,400		
	80	12,600		
	100	19,000		
COB - K (防水層用) 床上掃除口	40	9,000	JCW - 203 標準図符号 COB	
	50	9,400		
	65	11,900		
	80	13,400		
	100	16,700		
	125	29,900		
150	38,900			

BP	15	1,500	
	20	1,900	
	25	2,000	
BP - H HASS 規格	32	2,000	
	40	2,200	
	50	2,800	
	65	3,800	
	80	5,200	
	100	7,600	
	125	13,600	
150	26,600		

BB - A 埋設型	40	5,200	耐触アルミ製 AC7A	
	50	6,500		
	65	9,500		
	80	11,200		
	100	15,200		
	125	28,600		
BC 露出型	40	2,400	鋳鉄製 亜鉛メッキ	
	50	3,100		
	65	3,900		
	80	4,800		
	100	6,300		
BC - A 露出型	40	2,400	耐触アルミ製 AC7A	
	50	3,100		
	65	3,900		
	80	4,800		
	100	6,300		
	125	18,900		
150	21,300			
BC - A 露出型	40	5,100	耐触アルミ製 AC7A	
	50	6,900		
	65	8,600		
	80	10,400		
	100	15,700		
	125	33,500		
150	35,900			

IDNV - SUS	40	20,900	VP 用 ステンレス製	
	50	26,100		
	65	31,800		
	80	37,700		
	100	50,800		
IDN - HS	40	9,600	半球型 外ねじ	
	50	10,400		
	65	16,100		
	80	18,400		
	100	22,500		
IDNV - HS	40	9,600	半球型 VP 用	
	50	10,400		
	65	16,100		
	80	18,400		
	100	22,500		

IDN	32	3,100	内ねじ 網ステンレス	
	40	3,100		
	50	3,700		
	65	4,800		
	80	5,900		
	100	7,700		
IDN - V	30	2,700	VP 用 網ステンレス	
	40	2,700		
	50	4,000		
	65	4,800		
	80	5,900		
	100	7,100		
	125	13,200		
	150	24,600		
200	56,700			

建設
器具
材用

・格子ふた


品番	呼び	くさり付定価	くさりなし定価	備考
CD-H 重耐型	300	20,000	19,000	SHASE-S-209
	350	25,900	24,900	
	400	32,100	31,100	
	450	37,500	36,500	
	500	52,100	50,900	
	600	64,800	63,600	
CA-H 中耐型	300	16,400	15,400	SHASE-S-209
	350	19,400	18,400	
	400	25,100	24,100	
	450	29,900	28,900	
	500	38,800	37,600	
	600	55,700	54,500	
CB-H 軽耐型	300	14,000	13,000	SHASE-S-209
	350	17,100	16,100	
	400	21,400	20,400	
	450	24,900	23,900	
	500	29,100	27,900	
	600	40,400	39,200	

・鋳鉄製ボックス

品番	呼び	定価	備考
B1 止水弁 ガス弁	150	6,000	JCW-103
			標準図符号 B1
B1-R 止水弁	150	5,200	塩ビ管接続用
B2-A-P	300	20,500	JCW-103
B2-B-P	450	36,600	標準図符号
			MHA-P
B6-1A		48,400	JCW-104
B6-1B		37,800	標準図符号
B6-2A		50,600	B6
B6-2B		42,100	
MB-1	435 × 315	23,700	JCW-105
			標準図符号 MB-1 H=55
MB-2	715 × 515	96,800	JCW-105
MB-3	1105 × 715	213,400	標準図符号
			MB-2 MB-3 H=75

・散水栓ボックス

品番	呼び	定価	備考
B3	13A 金具付	12,500	鋳鉄製 土間埋設用
	20A 金具付	14,100	
	固定金具無	11,800	
B3A-HN 文字入り	20	66,100	ステンレス製 ヘアライン仕上 土間埋設用
	25	73,200	
	30	87,300	
B3A-HNK 文字入り	20	71,400	ロック式 ステンレス製 ヘアライン仕上 土間埋設用
	25	78,500	
	30	92,700	
B3W-HN 文字入り	20	78,500	ステンレス製 ヘアライン仕上 土間埋設用 縦型
	25	85,600	
	30	92,700	
B3W-HNK 文字入り	20	83,800	ロック式 ステンレス製 ヘアライン仕上 土間埋設用 縦型
	25	91,000	
	30	98,200	



CD-H



B1




B1-R

・インターロッキングブロック用
床化粧マンホールふた


品番	呼び	定価	備考
OMIS-D 重耐型	300	51,500	スライド式
	350	54,200	蓋ダクタイル製
	450	69,100	鋳鉄目地
	500	86,100	
	600	101,600	
	750		
	900		
OMIS-DS 重耐型	300	106,100	スライド式
	350	127,000	蓋ダクタイル製
	450	139,500	ステンレス目地
	500	160,400	
	600	174,400	
OMIS-1 中耐型	300	49,500	スライド式
	350	52,800	鋳鉄目地
	450	63,600	
	500	76,600	
	600	90,800	
OMIS-1S 中耐型	300	101,900	スライド式
	350	113,000	ステンレス目地
	450	127,000	
	500	147,100	
	600	167,400	
OMIS-2 軽耐型	300	42,100	スライド式
	350	44,800	鋳鉄目地
	450	57,000	
	500	71,900	
	600	78,600	
OMIS-2S 軽耐型	300	100,600	スライド式
	350	108,800	ステンレス目地
	450	125,400	
	500	139,500	
	600	146,600	
OMIR-D 重耐型	450	62,600	鋳鉄目地
	600	85,000	丸型
OMIS-DH (80mmブロック用)重耐型	450	93,000	スライド式
	600	127,000	蓋ダクタイル製鋳鉄目地



OMIS-D



OMIS-DS



OF-SP-DS



OMH-FCD

・床化粧マンホールふた
充填用

品番	呼び	定価	備考
OF-SP-DS 重耐型	300	63,500	蓋ダクタイル製
	350	80,500	ステンレス目地
	450	105,400	
	600	141,700	
OF-SP-1S 中耐型	300	60,100	ステンレス目地
	350	70,300	
	450	93,000	
	600	119,100	
OF-SP-2S 軽耐型	300	56,700	ステンレス目地
	350	64,600	
	450	82,800	
	600	108,800	
OF-SP-1M 中耐型	300	89,300	密閉型
	350	101,100	インサート取手付式
	450	132,800	ステンレス目地
	600	164,900	
OF-SP-1H 中耐型	300	59,300	インサート取手式
	350	67,500	ステンレス目地
	450	96,100	
	600	129,100	


・防臭式マンホールふた

品番	呼び	くさり付定価	くさりなし定価	備考
OMH-FCD 文字入り 文字なし 重耐型	300	20,000	19,000	HASS
	350	25,900	24,900	標準図符号
	400	33,900	32,900	MHD
	450	34,500	33,500	枠FC
	500	45,000	43,800	
	600	55,500	54,300	
	750	190,000	—	
	900	251,700	—	
OMH-1 文字入り 文字なし 中耐型	300	16,800	15,800	HASS
	350	21,800	20,800	標準図符号
	400	27,300	26,300	MHA
	450	29,600	28,600	
	500	38,400	37,200	
	600	46,500	45,300	
	750	162,200	—	
	900	199,700	—	
OMH-2 文字入り 文字なし 軽耐型	300	12,800	11,800	HASS
	350	16,000	15,000	標準図符号
	400	21,100	20,100	MHB
	450	21,400	20,400	
	500	29,700	28,500	
	600	34,400	33,200	
OMH-S-2 CD棚用 軽耐型	350	—	19,000	
	450	—	25,500	
	600	—	41,200	

建設
鉄器
材用

コンパクト型

鋳鉄製 角型ルーフトレン 〈外廊下排水用〉



●たて引き排水用

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ			
						50	65	80	100
シート防水 アスファルト	打込型	ねじ込み式 (ガス管)	屋上	ドーム型	ROC-AK	8,610	9,680	10,480	11,800
			屋上、庇、バルコニー	平型	ROC-BK	8,270	9,370	10,170	11,740
			廊下、踊場	水平型	ROC-CK	8,270	9,370	10,170	11,740
			バルコニー	中継	ROC-NK	8,610	9,680	10,480	12,210
			屋上(貯水槽張り代50mm)	ドーム型	RWC-EK	6,330	10,240	12,140	15,190
		差し込み式 (VP、VU)	屋上	ドーム型	ROV-AK	7,220	8,100	8,910	10,090
			屋上、庇、バルコニー	平型	ROV-BK	6,880	7,790	8,600	10,030
			廊下、踊場	水平型	ROV-CK	6,880	7,790	8,600	10,030
			バルコニー	中継	ROV-NK	7,220	8,100	8,910	10,500
			モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	屋上	ドーム型	RMC-AK	5,930
屋上、庇、バルコニー	平型	RMC-BK				5,590	6,330	6,950	8,200
廊下、踊場	水平型	RMC-CK				5,590	6,330	6,950	8,200
バルコニー	中継	RMC-NK				5,930	6,640	7,260	8,670
差し込み式 (VP、VU)	屋上	ドーム型			RMV-AK	4,900	5,570	6,180	7,490
	屋上、庇、バルコニー	平型			RMV-BK	4,560	5,260	5,870	7,430
	廊下、踊場	水平型			RMV-CK	4,560	5,260	5,870	7,430
	バルコニー	中継			RMV-NK	4,900	5,570	6,180	7,900

●よこ引き排水用

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ			
						50	65	75	100
シート防水	打込型	ねじ込み式 (ガス管)	屋上、バルコニー	T型	ROH-TK	13,160	14,510	16,310	18,560
				L型	ROH-LK	13,160	14,510	16,310	18,560
モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	屋上、バルコニー	T型	RMH-TK	11,740	13,110	14,490	16,370
				L型	RMH-LK	11,740	13,110	14,490	16,370

●角型ルーフトレン

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ	
						50	75
モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	バルコニー	台形	RMSC-DK	5,710	8,180
				水平型	RMSC-RK	5,710	8,180
		差し込み式 (VP、VU)	バルコニー	台形	RMSV-DK	5,290	7,380
				水平型	RMSV-RK	5,290	7,380