

705


建設用鑄鉄器材

## 排水金具・マンホール他


【新定価 2018年4月～】



**ガイドレ** 株式会社


改定2018.4


D-K 目皿 (非防水層用)	32	3,500	JCW204	
	40	3,900	標準図符号	
	50	4,300	D	
	65	5,700	内ねじ	
	80	7,000	ロック式ストレーナー	
	100	7,800		
	125	14,700		
150	21,800			


CK-SUS	40	9,500	JCW-204	
	50	13,300	内ネジ	
	65	19,800	ステンレス製	
	80	28,600	ロック式ストレーナー	
	100	42,600		

DK-SUS	32	3,700	JCW-204	
	40	4,000	標準図符号D	
	50	4,500	内ネジ	
	65	6,100	ステンレス製	
	80	7,400	ロック式ストレーナー	
	100	8,100		
	125	15,400		
150	22,800			


DV-SUS	40	3,600	VP・VU兼用	
	50	4,200	ステンレス製	
	65	5,500		
	80	6,600		
	100	8,300		
	125	17,500		
	150	27,300		


WPJ-W	65	25,400	公団型	
	80	28,500	J-501	
	100	34,100		
	125	51,500		
	150	67,400		


WPJ-W-BC	65	32,500	公団型	
	80	37,000	J-501	
	100	45,200	バンドキャップ付	
	125	78,500		
	150	98,200		


WPJ-W-BCA	65	37,200	公団型	
	80	42,600	J-501	
	100	54,800	アルミバンド	
	125	92,900	キャップ付	
	150	112,500		


WPJ-WL	65	35,400	積雪地用	
	80	42,000		
	100	51,000		
	125	73,500		

WPJ-WL-BC	65	42,500	積雪地用	
	80	50,500	バンドキャップ付	
	100	62,100		
	125	100,500		

WPJ-WL-BCA	65	47,200	積雪地用	
	80	56,100	アルミバンド	
	100	71,700	キャップ付	
	125	114,900		


WPJ-W用 アンカー皿ビス		1,500	M10	


T3A-K(SU) (非防水層用)	40	14,500	JISA4002	
	50	21,300		
	65	32,000		
	80	43,100		
	100	66,400		


T3B-K(SU) (防水層用)	40	20,600	JISA4002	
	50	28,800		
	65	40,400		
	80	53,300		
100	78,200			

T5AF (非防水層用)	40	12,300	調節管ビス式	
	50	13,300		
	65	23,400		
	80	30,800		
	100	50,400		


T5BF (防水層用)	40	13,300	調節管ビス式	
	50	14,700		
	65	27,100		
	80	33,800		
	100	55,700		


T5AF-EW (非防水層用)	50	18,000	調節管ビス式	
--------------------	----	--------	--------	---


T5BF-EW (防水層用)	50	19,100	調節管ビス式	
-------------------	----	--------	--------	---


T7A-EW (非防水層用)	50	29,300	横型	
-------------------	----	--------	----	---


T7B-EW (防水層用)	50	31,900	横型	
------------------	----	--------	----	--


JT-2E3 防水パン用	50	25,600	公団型 D-107-O	
-----------------	----	--------	----------------	---


JT-4 防水パン用	50	30,800	公団型 D-104	
---------------	----	--------	--------------	---

JT-3 防水パン用	50	25,200	公団型 呼び50 D-103	
---------------	----	--------	----------------------	---

T14AA-K(SU) 目皿付 金属製流し用	40	17,400	JCW-202 T14AA	
	50	25,200		



T14AB-K(SU) 共栓付 金属製流し用	40	20,000	JCW-202 T14AB	
	50	27,200		







T14BA-K(SU) 目皿付 コンクリート製流し用	40	22,200	JCW-202 T14BA	
	50	30,600		



T14BB-K(SU) 共栓付 コンクリート製流し用	40	23,400	JCW-202 T14BB	
	50	34,700		




T14AV 目皿付 JIS金属流し用	40	11,600	公団型 耐熱樹脂製	
--------------------------	----	--------	--------------	---

SNA - K 非防水層用	40	11,200	JCW - 204 標準図符号 SNA ・印W共栓 内ねじ	
	50	15,100		
	65	24,800		
	80	32,900		
	100	45,000		
SNAR 非防水層用	40	9,600	ゴム共栓付 ・印W共栓	
	50	13,100		
	65	20,000		
	80	26,600		
	100	37,300		



CODD 非防水層用 排水金具	50	19,000	
	65	20,500	
	80	21,300	
	100	22,400	
	125	48,300	
CODD - C 非防水層用 排水金具	40	27,100	
	50	41,600	
	65	51,200	
	80	59,000	
	100	103,800	

COA - K (非防水層用) 床上掃除口	40	5,100	JCW - 203 標準図符号 COA	
	50	5,200		
	65	6,500		
	80	7,600		
	100	9,900		
	125	19,600		
COA - F (非防水層用) 床上掃除口	40	6,800	SGP 差し込用 パッキン入	
	50	7,600		
	65	10,300		
	80	12,500		
	100	19,000		
COV - F (非防水層用) 床上掃除口	40	6,800	VP 差し込用 パッキン入	
	50	7,600		
	65	10,300		
	80	12,500		
COA - F - 2 (非防水層用) 床上掃除口	40	7,700	SGP 差し込用 化粧型 パッキン入	
	50	8,100		
	65	11,400		
	80	13,900		
	100	20,900		
COV - F - 2 (非防水層用) 床上掃除口	40	7,700	VP 差し込用 化粧型 パッキン入	
	50	8,100		
	65	11,400		
	80	13,900		
	100	20,900		
COB - K (防水層用) 床上掃除口	40	9,500	JCW - 203 標準図符号 COB	
	50	9,900		
	65	12,500		
	80	14,100		
	100	17,600		
	125	32,400		

BP	15	1,700	
	20	2,100	
	25	2,200	
BP - H HASS 規格	32	2,200	
	40	2,400	
	50	3,100	
	65	4,200	
	80	5,700	
	100	8,400	
	125	15,000	
150	29,300		

BB - A 埋設型	40	5,500	耐触アルミ製 AC7A	
	50	6,800		
	65	10,000		
	80	11,800		
	100	16,000		
	125	30,000		
BC 露出型	40	2,600	鋳鉄製 亜鉛メッキ	
	50	3,400		
	65	4,300		
	80	5,300		
	100	6,900		
	125	20,800		
BC - A 露出型	40	5,400	耐触アルミ製 AC7A	
	50	7,200		
	65	9,000		
	80	10,900		
	100	16,500		
	125	35,200		
150	37,700			

IDNV - SUS	40	23,000	VP 用 ステンレス製	
	50	28,700		
	65	35,000		
	80	41,500		
	100	55,900		
IDN - HS	40	10,600	半球型 外ねじ	
	50	11,400		
	65	17,700		
	80	20,200		
	100	24,800		
IDNV - HS	40	10,600	半球型 VP 用	
	50	11,400		
	65	17,700		
	80	20,200		
	100	24,800		

IDN	32	3,400	内ねじ 網-ステンレス	
	40	3,400		
	50	4,100		
	65	5,300		
	80	6,500		
	100	8,500		
IDN - V	30	3,000	VP 用 網-ステンレス	
	40	3,000		
	50	4,400		
	65	5,300		
	80	6,500		
	100	7,800		
	125	14,500		
	150	27,100		
200	62,400			

**建設  
鉄器  
材用**

・格子ふた

品番	呼び	くさり付定価	くさりなし定価	備考
CD-H 重耐型	300	21,900	20,900	SHASE-S-209
	350	28,400	27,400	
	400	35,200	34,200	
	450	41,200	40,200	
	500	57,200	56,000	
	600	71,200	70,000	
CA-H 中耐型	300	17,900	16,900	SHASE-S-209
	350	21,200	20,200	
	400	27,500	26,500	
	450	32,800	31,800	
	500	42,600	41,400	
	600	61,200	60,000	
CB-H 軽耐型	300	15,300	14,300	SHASE-S-209
	350	18,700	17,700	
	400	23,400	22,400	
	450	27,300	26,300	
	500	31,900	30,700	
	600	44,300	43,100	

・鋳鉄製ボックス

品番	呼び	定価	備考
B1 止水弁 ガス弁	150	6,600	JCW-103 標準図符号 B1
B1-R 止水弁	150	5,700	塩ビ管接続用
B2-A-P	300	22,600	JCW-103
B2-B-P	450	40,300	標準図符号 MHA-P
B6-1A		53,200	JCW-104
B6-1B		41,600	標準図符号
B6-2A		55,700	B6
B6-2B		46,300	
MB-1	435 × 315	26,100	JCW-105 標準図符号 MB-1 H=55
MB-2	715 × 515	106,500	JCW-105
MB-3	1105 × 715	234,700	標準図符号 MB-2 MB-3 H=75

・散水栓ボックス

品番	呼び	定価	備考
B3	13A 金具付	13,800	鋳鉄製 土間埋設用
	20A 金具付	15,500	
	固定金具無	13,000	
B3A-HN 文字入り	20	66,100	ステンレス製 ヘアライン仕上 土間埋設用
	25	73,200	
	30	87,300	
B3A-HNK 文字入り	20	71,400	ロック式 ステンレス製 ヘアライン仕上 土間埋設用
	25	78,500	
	30	92,700	
B3W-HN 文字入り	20	78,500	ステンレス製 ヘアライン仕上 土間埋設用 縦型
	25	85,600	
	30	92,700	
B3W-HNK 文字入り	20	83,800	ロック式 ステンレス製 ヘアライン仕上 土間埋設用 縦型
	25	91,000	
	30	98,200	



CD-H



B1



B1-R

・インターロッキングブロック用  
床化粧マンホールふた


品番	呼び	定価	備考
OMIS-D 重耐型	300	56,700	スライド式 蓋ダクタイル製 鑄鉄目地
	350	59,600	
	450	76,000	
	500	94,700	
	600	111,800	
	750		
	900		
OMIS-DS 重耐型	300	116,700	スライド式 蓋ダクタイル製 ステンレス目地
	350	139,700	
	450	153,500	
	500	176,400	
	600	191,800	
OMIS-1 中耐型	300	54,500	スライド式 鑄鉄目地
	350	58,100	
	450	70,000	
	500	84,300	
	600	99,900	
OMIS-1S 中耐型	300	112,100	スライド式 ステンレス目地
	350	124,300	
	450	139,700	
	500	161,800	
	600	184,100	
OMIS-2 軽耐型	300	46,300	スライド式 鑄鉄目地
	350	49,300	
	450	62,700	
	500	79,100	
	600	86,500	
OMIS-2S 軽耐型	300	110,700	スライド式 ステンレス目地
	350	119,700	
	450	137,900	
	500	153,500	
	600	161,300	
OMIR-D 重耐型	450	68,900	鑄鉄目地 丸型
	600	93,500	
OMIS-DH (80mmブロック用)重耐型	450	102,300	スライド式 蓋ダクタイル製鑄鉄目地
	600	139,700	




OMIS-D



OMIS-DS



OF-SP-DS



OMH-FCD

・床化粧マンホールふた  
充填用

品番	呼び	定価	備考
OF-SP-DS 重耐型	300	69,900	蓋ダクタイル製 ステンレス目地
	350	88,600	
	450	115,900	
	600	155,900	
OF-SP-1S 中耐型	300	66,100	ステンレス目地
	350	77,300	
	450	102,300	
	600	131,000	
OF-SP-2S 軽耐型	300	62,400	ステンレス目地
	350	71,100	
	450	91,100	
	600	119,700	
OF-SP-1M 中耐型	300	98,200	密閉型 インサート取手付式 ステンレス目地
	350	111,200	
	450	146,100	
	600	181,400	
OF-SP-1H 中耐型	300	65,200	インサート取手式 ステンレス目地
	350	74,300	
	450	105,700	
	600	142,000	


・防臭式マンホールふた

品番	呼び	くさり付定価	くさりなし定価	備考
OMH-FCD 文字入り 文字なし 重耐型	300	21,900	20,900	HASS 標準図符号 MHD 枠FC
	350	28,400	27,400	
	400	37,200	36,200	
	450	37,900	36,900	
	500	49,400	48,200	
	600	60,900	59,700	
	750	209,000	—	
	900	276,900	—	
OMH-1 文字入り 文字なし 中耐型	300	18,400	17,400	HASS 標準図符号 MHA
	350	23,900	22,900	
	400	29,900	28,900	
	450	32,500	31,500	
	500	42,100	40,900	
	600	51,000	49,800	
	750	178,400	—	
	900	219,700	—	
OMH-2 文字入り 文字なし 軽耐型	300	14,000	13,000	HASS 標準図符号 MHB
	350	17,500	16,500	
	400	23,100	22,100	
	450	23,400	22,400	
	500	32,600	31,400	
	600	37,700	36,500	
OMH-S-2 CD棚用 軽耐型	350	—	20,900	
	450	—	28,100	
	600	—	45,300	

建設  
鉄器  
材用

## コンパクト型

# 鋳鉄製 角型ルーフドレン 〈外廊下排水用〉



### ●たて引き排水用

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ			
						50	65	80	100
シート防水 アスファルト	打込型	ねじ込み式 (ガス管)	屋上	ドーム型	ROC-AK	8,610	9,680	10,480	11,800
			屋上、庇、バルコニー	平型	ROC-BK	8,270	9,370	10,170	11,740
			廊下、踊場	水平型	ROC-CK	8,270	9,370	10,170	11,740
			バルコニー	中継	ROC-NK	8,610	9,680	10,480	12,210
			屋上(貯水槽張り代50mm)	ドーム型	RWC-EK	9,210	10,240	12,140	15,190
		差し込み式 (VP、VU)	屋上	ドーム型	ROV-AK	7,220	8,100	8,910	10,090
			屋上、庇、バルコニー	平型	ROV-BK	6,880	7,790	8,600	10,030
			廊下、踊場	水平型	ROV-CK	6,880	7,790	8,600	10,030
			バルコニー	中継	ROV-NK	7,220	8,100	8,910	10,500
			モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	屋上	ドーム型	RMC-AK	5,930
屋上、庇、バルコニー	平型	RMC-BK				5,590	6,330	6,950	8,200
廊下、踊場	水平型	RMC-CK				5,590	6,330	6,950	8,200
バルコニー	中継	RMC-NK				5,930	6,640	7,260	8,670
差し込み式 (VP、VU)	屋上	ドーム型			RMV-AK	4,900	5,570	6,180	7,490
	屋上、庇、バルコニー	平型			RMV-BK	4,560	5,260	5,870	7,430
	廊下、踊場	水平型			RMV-CK	4,560	5,260	5,870	7,430
	バルコニー	中継			RMV-NK	4,900	5,570	6,180	7,900

### ●よこ引き排水用

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ			
						50	65	75	100
シート防水 アスファルト	打込型	ねじ込み式 (ガス管)	屋上、バルコニー	T型	ROH-TK	13,160	14,510	16,310	18,560
				L型	ROH-LK	13,160	14,510	16,310	18,560
モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	屋上、バルコニー	T型	RMH-TK	11,740	13,110	14,490	16,370
				L型	RMH-LK	11,740	13,110	14,490	16,370

### ●角型ルーフドレン

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ	
						50	75
モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	バルコニー	台形	RMSC-DK	5,710	8,180
				水平型	RMSC-RK	5,710	8,180
		差し込み式 (VP、VU)	バルコニー	台形	RMSV-DK	5,290	7,380
				水平型	RMSV-RK	5,290	7,380