

B型(複作動)アクチュエータ付													
外観形状													
													
注)自動操作バルブは流体条件等によりアクチュエータ選定が標準と変わる場合があります。													
種別	鋳鉄			ダクタイル	ステンレス					標準選定 操作圧 0.39MPa (4Kgf/cm <sup>2</sup> )			
クラス	10K			10K	10K								
ボディ	FC200			FCD-S	SCS13	SCS13	SCS14	SCS13	SCS14				
型式	フルボア		レデューストボア	フルボア	フルボア			レデューストボア					
呼径	製品番号		B-10FCT	B-10FCTB	B-10FCTR	B-10STBF	B-10UT	B-10UTB	B-10UTBM	B-10UTR	B-10UTRM	フルボア	レデューストボア
	3/8 <sup>B</sup>	10 <sup>A</sup>											
3/8 <sup>B</sup>	10 <sup>A</sup>	34,600				38,700							
1/2	15	34,800	37,200		40,400	39,300	47,700	55,200				B-0	
3/4	20	36,600	38,100		43,000	41,600	50,500	59,300					
1	25	37,800	41,500		45,700	45,600	59,300	71,500					
1 1/4	32	44,800	49,700		58,700	56,300	71,100	86,500				B-1	
1 1/2	40	49,100	54,300		62,000	65,600	75,200	91,600					
2	50	59,900	65,800		75,100	81,400	93,500	115,000	81,200	93,300		B-2	B-1
2 1/2	65	84,500	87,200		94,200	111,000	123,000	154,000	116,000	133,000		B-2	B-2
3	80	121,000	125,000		133,000	157,000	163,000	201,000	135,000	172,000		B-3	
4	100		149,000		161,000		209,000	261,000	200,000	254,000		B-3	B-3
5	125		272,000	162,000	312,000		442,000	565,000	301,000	392,000		B-4	
6	150		329,000	277,000	368,000		517,000	671,000	466,000	600,000		B-4	B-4
8	200		593,000	361,000	666,000		888,000	1,144,000	613,000	805,000		B-5	
10	250		869,000	612,000			1,883,000	2,428,000	996,000	1,295,000		B-6	B-5
12	300								◎	◎		B-6	B-6

BS型(スプリングターン)アクチュエータ付													
外観形状													
													
注)自動操作バルブは流体条件等によりアクチュエータ選定が標準と変わる場合があります。													
種別	鋳鉄			ダクタイル	ステンレス					標準選定 操作圧 0.39MPa (4Kgf/cm <sup>2</sup> )			
クラス	10K			10K	10K								
ボディ	FC200			FCD-S	SCS13	SCS13	SCS14	SCS13	SCS14				
型式	フルボア		レデューストボア	フルボア	フルボア			レデューストボア					
呼径	製品番号		BS-10FCT	BS-10FCTB	BS-10FCTR	BS-10STBF	BS-10UT	BS-10UTB	BS-10UTBM	BS-10UTR	BS-10UTRM	フルボア	レデューストボア
	3/8 <sup>B</sup>	10 <sup>A</sup>											
3/8 <sup>B</sup>	10 <sup>A</sup>	47,400				51,500							
1/2	15	47,600	50,000		53,200	52,100	60,500	68,000				B-0	
3/4	20	49,400	50,900		55,800	54,400	63,300	72,100					
1	25	50,600	54,300		58,500	58,400	72,100	84,300					
1 1/4	32	63,300	68,200		77,200	74,800	89,600	105,000				B-1	
1 1/2	40	67,600	72,800		80,500	84,100	93,700	111,000					
2	50	89,700	95,600		105,000	112,000	124,000	145,000	104,000	112,000		B-2	BS-1
2 1/2	65	115,000	117,000		124,000	141,000	153,000	184,000	146,000	150,000		B-2	BS-2
3	80	171,000	175,000		184,000	208,000	214,000	251,000	164,000	201,000		B-3	
4	100		200,000		212,000		260,000	312,000	250,000	305,000		B-3	BS-3
5	125		360,000	213,000	401,000		531,000	654,000	352,000	443,000		B-4	
6	150		417,000	365,000	457,000		606,000	760,000	554,000	688,000		B-4	BS-4
8	200		736,000	449,000	809,000		1,031,000	1,287,000	701,000	895,000		B-5	
10	250		◎	755,000			2,400,000	2,945,000	1,139,000	1,439,000		B-6	BS-5
12	300								◎	◎		B-6	BS-6

外観形状		EXH(ケルモ)電動ボールバルブ					
							
種別		鋳鉄			ダクタイル		
型式		フルボア		レデューストボア		フルボア	
ボディボール		FC200/SCS13				FCD-S/SCS13	
製品番号		EXH 100-10FCT		EXH 100-10FCTB		EXH 100-10FCTR	
呼径		EXH 100-10STBF					
$\frac{3}{8}$ <sup>B</sup>	10 <sup>A</sup>	49,200					
$\frac{1}{2}$	15	49,400	51,800			55,000	
$\frac{3}{4}$	20	51,200	52,700			57,600	
1	25	52,400	56,100			60,300	
$1\frac{1}{4}$	32	89,500	94,400			104,000	
$1\frac{1}{2}$	40	93,500	98,700			107,000	
2	50	97,400	104,000			113,000	
$2\frac{1}{2}$	65	139,000	142,000			149,000	
3	80	150,000	154,000			162,000	
4	100		179,000			190,000	
5	125		325,000		194,000	365,000	
6	150		382,000		333,000	421,000	
8	200		551,000		420,000	623,000	

(単位：円)

外観形状		EXH(ケルモ)電動ボールバルブ					
							
本体		ステンレス					
型式		フルボア			レデューストボア		
ボディボール		SCS13		SCS14		SCS14	
製品番号		EXH 100-10UT		EXH 100-10UTM		EXH 100-10UTB	
呼径		EXH 100-10UTBM		EXH 100-10UTR		EXH 100-10UTRM	
$\frac{3}{8}$ <sup>B</sup>	10 <sup>A</sup>	53,300	57,300				
$\frac{1}{2}$	15	53,900	57,900	62,300	69,800		
$\frac{3}{4}$	20	56,200	61,200	65,100	73,900		
1	25	60,200	66,600	73,900	86,100		
$1\frac{1}{4}$	32	101,000	111,000	116,000	132,000		
$1\frac{1}{2}$	40	110,000	123,000	120,000	136,000		
2	50	119,000	135,000	131,000	152,000		
$2\frac{1}{2}$	65	165,000	191,000	177,000	208,000		
3	80	186,000	221,000	192,000	230,000		
4	100			238,000	290,000		
5	125			495,000	618,000	333,000	424,000
6	150			570,000	724,000	520,000	654,000
8	200			845,000	1,101,000	684,000	866,000

(単位：円)

C型アクチュエータ(複作動)付ボールバルブ								
外観形状								
本体	青銅製					ステンレス鋼製(SCS14)		
型式	10K					10K		
シート	PTFE	PTFE	PTFE	PTFE		PTFE	充填PTFE	
管接続	ねじ込	ねじ込/ユニオン	ねじ込	ねじ込		ねじ込		
特徴	コンパクト	ユニオン	ロングネック	グランド構造	横形3方	コンパクト	グランド構造	
製品番号	C-TE	C-TUE	C-TLE	C-TGE	C-TNE	C-UTE	C-UTGE	
呼径								
1/4 <sup>B</sup>	8				17,900	17,200	31,300	
3/8	10	14,600			27,000	18,900	17,200	31,800
1/2	15	14,600	20,000	15,700	28,000	20,800	17,400	32,700
3/4	20	15,300	21,200	16,200	29,700	21,200	18,100	35,200
1	25	16,200		17,400	32,000	22,800	20,000	38,700
1 1/4	32	19,800		24,500		27,800	26,400	
1 1/2	40	24,500		28,400		34,400	31,500	
2	50	28,000		31,100		39,500	35,900	

EAシリーズ小型ケルモ電動ボールバルブ								
外観形状								
本体	青銅製					ステンレス鋼製(SCS14)		
型式	10K					10K		
電源	AC100V/AC200V					AC100V/AC200V		
シート	PTFE	PTFE	PTFE	PTFE		PTFE	強化PTFE	
管接続	ねじ込	ねじ込/ユニオン	ねじ込	ねじ込		ねじ込		
特徴	コンパクト	ユニオン	ロングネック	グランド構造	横形3方	縦形3方	コンパクト	グランド構造
製品番号	EA <sub>100</sub> - TE	EA <sub>100</sub> - TUE	EA <sub>100</sub> - TLE	EA <sub>100</sub> - TGE	EA <sub>100</sub> - TNE	EAH <sub>100</sub> - TNVE	EA <sub>100</sub> - UTE	EA <sub>100</sub> - UTGE
呼径								
1/4 <sup>B</sup>	8				18,100		18,900	36,100
3/8	10	16,400			32,500	18,100	19,600	36,500
1/2	15	17,000	17,900	17,600	32,700	20,200	20,200	37,400
3/4	20	17,900	18,900	18,500	34,800	21,400	21,400	39,900
1	25	24,700		33,100	39,700	29,700	29,700	43,300
1 1/4	32	35,500		41,900		39,500	39,500	53,700
1 1/2	40	45,900		47,100		50,900		56,200
2	50	50,900		52,000		55,000		64,100

注)端子箱付(EAB、EAHB)は上記価格に¥3,000を加算してください。

(単位:円)