

705

建設用鑄鉄器材

排水金具・マンホール他


ダイドレ 株式会社


改定2007.4

【新定価 2007年4月～】

C-K 目皿 (非防水層用)	40	5,800	内ねじ		T5AF-EW (非防水層用)	50	11,400	調節管ビス式			
	50	8,300			T5BF-EW (防水層用)	50	12,100			調節管ビス式	
	65	12,700			T7A-EW (非防水層用)	50	17,600				横型
	80	17,100			T7B-EW (防水層用)	50	19,200				
	100	34,000			JT-2E3 防水パン用	50	16,200				公団型 D-107-O
D-K 目皿 (非防水層用)	30	2,300	JCW204 標準図符号 D 内ねじ ロック式ストレーナ		JT-4 防水パン用	50	17,600	公団型 D-104			
	40	2,400									
	50	2,700									
	65	3,700									
	80	4,200									
	100	5,000									
D-V 目皿 (非防水層用)	125	9,300	鉛管VP兼用		JT-3 防水パン用	50	14,700	公団型 呼び50 D-103			
	150	13,500									
	30	2,100									
	40	2,200									
	50	2,400									
	65	3,100									
T3A-K (非防水層用)	80	3,700	JISA4002		T14AA-K 目皿付 金属製流し用	40	10,800	JCW-202 T14AA			
	100	4,900									
	125	9,100									
	150	12,800									
	200	30,000									
T3B-K (防水層用)	40	12,500	JISA4002		T14AB-K 共栓付 金属製流し用	40	12,400	JCW-202 T14AB			
	50	16,500									
	65	23,500									
	80	31,500									
	100	54,500									
T5A-F (非防水層用)	40	7,000	調節管ビス式		T14BA-K 目皿付 コンクリート製流し用	40	13,800	JCW-202 T14BA			
	50	8,100									
	65	14,800									
	80	19,000									
	100	31,200									
T5B-F (防水層用)	40	7,900	調節管ビス式		T14BB-K 共栓付 コンクリート製流し用	40	14,600	JCW-202 T14BB			
	50	8,800									
	65	17,100									
	80	21,400									
	100	35,200									
WPJ-W	65	17,100	公団型 J-501		T14AV 目皿付 JIS金属流し用	40	7,300	公団型 耐熱樹脂製			
	80	18,700									
	100	22,600									
	125	33,600									
	150	44,100									
WPJ-W-BC	65	21,200	公団型 J-501 バンドキャップ付		SNA-K 非防水層用	40	7,100	JCW-204 標準図符号 SNA ・印W共栓 内ねじ			
	80	24,300									
	100	30,100									
	125	51,500									
	150	64,700									
WPJ-W-BC A	65	24,900	公団型 J-501 アルミバンド キャップ付		SNA-R 非防水層用	40	5,900	ゴム共栓付 ・印W共栓			
	80	28,000									
	100	36,200									
	125	59,900									
	150	75,200									
WPJ-WL	65	24,900	積雪地用		CODD 非防水層用 排水金具	50	10,500				
	80	30,000									
	100	33,900									
	125	46,500									
	150	64,400									
WPJ-WL-BC	65	29,000	積雪地用 バンドキャップ付		CODD-C 非防水層用 排水金具	40	18,000				
	80	35,600									
	100	41,400									
	125	72,800									
	150	92,000									
WPJ-WL-BC A	65	32,700	積雪地用 アルミバンド キャップ付		M10						
	80	39,900									
	100	47,500									
	125	72,800									
	150	92,000									
WPJ-W用 アンカー皿ビス		1,200	M10								

COA-K (非防水層用) 床上掃除口	40	3,100	JCW-203 標準図符号 COA	
	50	3,300		
	65	4,100		
	80	4,800		
	100	6,500		
	125	11,800		
	150	14,800		
CO-V (非防水層用) 床上掃除口	30	2,500	VP用 パッキン入	
	40	2,500		
	50	2,800		
	65	3,600		
	80	4,200		
	100	5,500		
	125	10,000		
	150	13,500		
COA-F (非防水層用) 床上掃除口	40	4,100	SGP差し込用 パッキン入	
	50	4,500		
	65	6,200		
	80	7,500		
	100	11,500		
	125	16,000		
COV-F (非防水層用) 床上掃除口	40	4,100	VP差し込用 パッキン入	
	50	4,500		
	65	6,200		
	80	7,500		
	100	11,500		
	125	16,000		
COA-F-2 (非防水層用) 床上掃除口	40	4,800	SGP差し込用 化粧型 パッキン入	
	50	5,100		
	65	7,200		
	80	8,800		
	100	13,200		
	125	16,800		
COV-F-2 (非防水層用) 床上掃除口	40	4,800	VP差し込用 化粧型 パッキン入	
	50	5,100		
	65	7,200		
	80	8,800		
	100	13,200		
	125	16,800		
COB-K (防水層用) 床上掃除口	40	6,100	JCW-203 標準図符号 COB	
	50	6,900		
	65	8,400		
	80	9,700		
	100	12,000		
	125	21,000		
150	27,000			

IDNV-SUS	40	16,500	VP用 ステンレス製	
	50	20,500		
	65	25,000		
	80	29,600		
	100	39,900		
	125	84,800		
	150	133,900		
	200	210,000		
IDN-HS	40	6,600	半球型 外ねじ	
	50	7,200		
	65	11,200		
	80	12,800		
	100	15,600		
	125	23,000		
	150	51,700		
IDNV-HS	40	6,600	半球型 VP用	
	50	7,200		
	65	11,200		
	80	12,800		
	100	15,600		
	125	23,000		
	150	51,700		

BP-H HASS規格	15	1,000	
	20	1,200	
	25	1,300	
	30	1,300	
	40	1,500	
BP	50	1,900	
	65	2,600	
	80	3,500	
	100	5,100	
	125	9,200	
	150	18,000	
BP	200	22,600	

BB 埋設型	30	2,100	鋳鉄製 亜鉛メッキ	
	40	2,100		
	50	2,300		
	65	2,800		
	80	4,100		
	100	5,100		
BB-A 埋設型	125	15,800	耐触アルミ製 AC7A	
	150	15,800		
	40	3,800		
	50	4,800		
	65	6,900		
	80	8,200		
	100	10,500		
BC 露出型	125	21,000	耐触アルミ製 AC7A	
	150	23,800		
	200	97,200		
	40	1,600		
	50	2,100		
	65	2,500		
BC-A 露出型	80	3,200	耐触アルミ製 AC7A	
	100	4,400		
	125	13,700		
	150	15,300		
	40	3,700		
	50	4,900		
IDN	65	6,200	内ねじ 網-ステンレス	
	80	4,100		
	100	5,400		
	125	8,300		
	150	15,300		
	200	34,300		
IDN-SUS	40	16,500	内ねじ ステンレス製	
	50	20,500		
	65	25,000		
	80	29,600		
	100	39,900		
	125	84,800		
	150	133,900		
	200	210,000		
IDN-V	30	1,800	VP用 網-ステンレス	
	40	1,900		
	50	2,700		
	65	3,300		
	80	4,100		
	100	4,900		
	125	9,200		
	150	17,100		
	200	39,500		

建設
用
鋳鉄
器材

・格子ふた


品番	呼び	くさり付定価	くさりなし定価	備考
CD-H 重耐型	300	13,000	12,500	HASS
	350	17,000	16,500	
	400	21,100	20,600	
	450	24,800	24,300	
	500	33,800	33,000	
	600	43,100	42,300	
CA-H 中耐型	300	10,500	10,000	HASS
	350	12,500	12,000	
	400	16,200	15,700	
	450	19,300	18,800	
	500	25,100	24,300	
	600	36,400	35,600	
CB-H 軽耐型	300	9,500	9,000	HASS
	350	11,700	11,200	
	400	14,700	14,200	
	450	17,100	16,600	
	500	20,100	19,300	
	600	28,200	27,400	

・鑄鉄製ボックス

品番	呼び	定価	備考
B1 止水弁 ガス弁	150	4,200	JCW-103
			標準図符号
B1-R 止水弁	150	3,200	B1
			塩ビ管接続用
B2-A-P	300	14,400	JCW-103
B2-B-P	450	25,700	標準図符号
			MHA-P
B6-1A		34,000	JCW-104
B6-1B		26,500	標準図符号
B6-2A		35,500	B6
B6-2B		29,500	
MB-1	435×315	16,600	JCW-105
			標準図符号
			MB-1
			H=55
MB-2	715×515	68,000	JCW-105
MB-3	1105×715	150,000	標準図符号
			MB-2
			MB-3
			H=75

・散水栓ボックス

品番	呼び	定価	備考
B3	13A金具付	8,900	鑄鉄製 土間埋設用
	20A金具付	10,100	
	固定金具無	8,400	
B3A-HN 文字入り	20	51,100	ステンレス製 ヘアライン仕上 土間埋設用
	25	56,500	
	30	67,500	
B3A-HNK 文字入り	20	55,200	ロック式 ステンレス製 ヘアライン仕上 土間埋設用
	25	60,700	
	30	71,700	
B3W-HN 文字入り	20	60,700	ステンレス製 ヘアライン仕上 土間埋設用 縦型
	25	66,200	
	30	71,700	
B3W-HNK 文字入り	20	64,800	ロック式 ステンレス製 ヘアライン仕上 土間埋設用 縦型
	25	70,400	
	30	75,900	



CD-H



B1




B1-R

・インターロッキングブロック用
床化粧マンホールふた

品番	呼び	定価	備考
OMIS-D 重耐型	300	40,700	スライド式 蓋ダクタイル製 鑄鉄目地
	350	42,800	
	450	54,600	
	500	68,000	
	600	80,300	
	750	155,200	
	900	200,100	
OMIS-DS 重耐型	300	81,400	スライド式 蓋ダクタイル製 ステンレス目地
	350	97,400	
	450	107,000	
	600	133,800	
OMIS-1 中耐型	300	37,500	スライド式 鑄鉄目地
	350	39,600	
	450	50,300	
	600	71,700	
OMIS-1S 中耐型	300	78,200	スライド式 ステンレス目地
	350	86,700	
	450	97,400	
	500	112,900	
	600	128,400	
OMIS-2 軽耐型	300	33,200	スライド式 鑄鉄目地
	350	35,400	
	450	45,000	
	600	62,100	
OMIS-2S 軽耐型	300	77,100	スライド式 ステンレス目地
	350	83,500	
	450	96,300	
	600	112,400	
OMIR-D 重耐型	450	49,500	鑄鉄目地 丸型
	600	67,100	



OMIS-D



OMIS-DS



OF-SP-DS



OMH-FCD

・床化粧マンホールふた
充填用

品番	呼び	定価	備考
OF-SP-DY 重耐型	300	42,900	蓋ダクタイル製 黄銅目地
	350	52,800	
	450	67,700	
	600	94,100	
OF-SP-DS 重耐型	300	44,000	蓋ダクタイル製 ステンレス目地
	350	56,100	
	450	74,300	
	600	99,000	
OF-SP-1Y 中耐型	300	39,600	黄銅目地
	350	45,100	
	450	57,200	
	600	78,700	
OF-SP-1S 中耐型	300	40,700	ステンレス目地
	350	48,400	
	450	63,800	
	600	83,600	
OF-SP-2Y 軽耐型	300	38,500	黄銅目地
	350	40,700	
	450	51,700	
	600	71,500	
OF-SP-2S 軽耐型	300	38,500	ステンレス目地
	350	44,000	
	450	57,200	
	600	74,800	

・防臭式マンホールふた

品番	呼び	くさり付定価	くさりなし定価	備考
OMH-FCD 文字入り 文字なし 重耐型	300	14,400	13,900	HASS 標準図符号 MHD 枠FC
	350	18,800	18,300	
	400	22,500	22,000	
	450	24,800	24,300	
	500	30,300	29,500	
	600	40,300	39,500	
	900	122,100		
OMH-1 文字入り 文字なし 中耐型	300	12,400	11,900	HASS 標準図符号 MHA
	350	16,200	15,700	
	400	18,700	18,200	
	450	22,100	21,600	
	500	26,700	25,900	
	600	35,100	34,300	
	900	97,700		
OMH-2 文字入り 文字なし 軽耐型	300	9,300	8,800	HASS 標準図符号 MHB
	350	11,700	11,200	
	400	14,100	13,600	
	450	15,600	15,100	
	500	20,200	19,400	
	600	25,400	24,600	

建設
用
鑄鉄
器材

コンパクト型

鋳鉄製 角型ルーフトレンドレン <外廊下排水用>



●たて引き排水用

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ					
						50	65	75	100	125	150
シート防水 アスファルト	打込型	ねじ込み式 (ガス管)	屋上	ドーム型	ROC-AK	5,670	6,380	6,910	7,770	11,930	16,290
			屋上、庇、バルコニー	平型	ROC-BK	5,460	6,180	6,710	7,730	11,800	16,180
			廊下、踊場	水平型	ROC-CK	5,460	6,180	6,710	7,730	11,800	16,180
			バルコニー	中継	ROC-NK	5,670	6,380	6,910	8,040	11,930	16,290
		差し込み式 (VP、VU)	屋上	ドーム型	ROV-AK	4,750	5,340	5,870	6,650	10,730	
			屋上、庇、バルコニー	平型	ROV-BK	4,540	5,140	5,670	6,610	10,600	
			廊下、踊場	水平型	ROV-CK	4,540	5,140	5,670	6,610	10,600	
			バルコニー	中継	ROV-NK	4,750	5,340	5,870	6,920	10,730	
モルタル防水 塗膜防水	打込型	ねじ込み式 (ガス管)	屋上	ドーム型	RMC-AK	3,900	4,380	4,790	5,450	8,490	13,120
			屋上、庇、バルコニー	平型	RMC-BK	3,690	4,180	4,590	5,410	8,360	13,010
			廊下、踊場	水平型	RMC-CK	3,690	4,180	4,590	5,410	8,360	13,010
			バルコニー	中継	RMC-NK	3,900	4,380	4,790	5,720	8,490	13,120
		差し込み式 (VP、VU)	屋上	ドーム型	RMV-AK	3,220	3,670	4,070	4,940	7,810	
			屋上、庇、バルコニー	平型	RMV-BK	3,010	3,470	3,870	4,900	7,680	
			廊下、踊場	水平型	RMV-CK	3,010	3,470	3,870	4,900	7,680	
			バルコニー	中継	RMV-NK	3,220	3,670	4,070	5,210	7,810	

●よこ引き排水用

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ					
						50	65	75	100	125	150
シート防水 アスファルト	打込型	ねじ込み式 (ガス管)	屋上、バルコニー	T型	ROH-TK	8,660	9,550	10,740	12,220	21,780	29,850
				L型	ROH-LK	8,660	9,550	10,740	12,220	21,780	29,850
塗膜防水 モルタル防水	打込型	ねじ込み式 (ガス管)	屋上、バルコニー	T型	RMH-TK	7,730	8,630	9,540	10,780	19,150	
				L型	RMH-LK	7,730	8,630	9,540	10,780	19,150	

●角型ルーフトレンドレン

防水方法	施工方法	接続方法 (適用管種)	使用場所	ストレーナ 形状	品番	サイズ					
						50	65	75	100	125	150
塗膜防水 モルタル防水	打込型	ねじ込み式 (ガス管)	バルコニー		RMSC-DK	3,770		5,380			
					RMSC-RK	3,770		5,380			
		差し込み式 (VP、VU)	バルコニー		RMSV-DK	3,490		4,850			
					RMSV-RK	3,490		4,850			